

Headphones

Wired Earphones MoXom

Z0066

Wired Magnetic Earphones



Wired Communication Headset

Z0147

Andowl Telephonic Headset



Z0091

USB Only Gaming Headset



Z0173

P47 5.0+EDR Wireless Headphones.



HAKEE MOON PINK

Bluetooth 5.0 IPX5 Water Resistant. Seven Hours of playback 28 Hours of Battery with Case. Smart Touch Controls and High Quality Audio AI Assistant support. USB Type C Port. Black & Pink.



HAKEE MOON BLACK



HAKEE-GI PRO BLACK & RED

Truly Wireless Sport & Gym Earphones; Bluetooth v5.0 for Fast and Stable Pairing; IPX6 (Waterproof); Up to 12 Hours of Playing; Comfortable Fit; Ergonomic Earbuds; Smart Touch Operation; Intelligent Voice Assistant; CVC Noise Reduction; Mono Mode; Split Transmission, Small Charging Pod; USB Type-C port for charging; colour - Black & Red



HAKEE-GI PRO GREY & RED



HAKEE FIT



Truly Wireless Sport Earphones; Bluetooth v5.0 for Fast and Stable Pairing; IPX5 (Splashproof); Up to 8 Hours of Playing; Comfortable Fit; 3-in-1 Wearing Style; Additional Earbuds and accessories incl.; Smart Touch Operation; Intelligent Voice Assistant; CVC Noise Reduction; Mono Mode; Split Transmission, Small Charging Pod; USB Type-C port for charging; colour - Black & Red



HAKEE FIT WIRELESS

3 IN 1 WEARING STYLES



HAKE-TIME WHITE

True Wireless Noise Cancelling Earphones; Active Noise Cancelling; ENC Call Noise Cancelling for Intimate Communication; Bluetooth v5.0 for Fast and Stable Pairing; IPX4 (Splashproof); Up to 4.5 Hours of Playing; Comfortable Fit; ; Tap Control Operation; Intelligent Voice Assistant; Switchable Master & Slave Operation Mode via IBRT Technology; Small Charging Pod; USB Type-C port for charging; Colour - White



Hakii Bluetooth Speakers

HAKE-MARS BLACK

HAKE-MARS WHITE

Portable Waterproof Smart Bluetooth Speaker; Bluetooth v 5.0 for Fast and Stable Pairing; IPX7 (Waterproof); Up to 12 Hours of Playback; Digital Microphone for Hands Free Calls; Voice Assistant: Siri, Google Assistant, Alexa; Simple Operation - 4 Button Control Panel; Charging Port - Micro-USB; Max Power-4 watts; Colour - Black



HAKE-CHEER BG

HAKE-CHEER BR

Portable Waterproof Bluetooth Speaker; Bluetooth v4.2 for Fast and Stable Pairing; Built in NFC for One-Touch Pairing; IPX7 (Waterproof); Up to 14 Hours of Playback; TWS Technology allowing you to link 2 x Hakii Cheer together; 2 EQ Modes; 360° Surround Sound; Hands-Free Calling; Aux Input ; Voice Assistant: Siri, Google Assistant, Alexa; Simple Operation - 5 Button Control Panel; Charging Port - USB-C; Max Power- watts; Colours - Black or Black & Red



HP Earphones

HDHE7000B

Black

In Ear Earphone with 3,5mm St Jack, Simple & Elegant Design: Multifuntion smart controller to operate more conveniently and efficiently. Color Black or White. HP Box packaging.



HDHE7000W White

lightweight and comfortable

HP in-ear music headphones



HDHE7001

In Ear Earphone with 3,5mm St Jack, Simple & Elegant Design: Multifuntion smart controller to operate more conveniently and efficiently. Color Black, HP Box packaging.



HDHE7002

In Ear Earphone with detachable Mic & 3,5mm Stereo Jack. Dual Microphone design with one detachable Option. L Style connector for Humanzed design: Multifuntion smart controller to operate more conveniently and efficiently. Color: Black & Red



HDHE7004G

Black & Green

In Ear Earphone with detachable Mic & 3,5mm Stereo Jack. Dual Microphone design with one detachable option. Multifuntion smart controller to operate more conveniently and efficiently. Color: Black & Green or Black & Red.



HDHE7004R Black & Red



HP Earphones

HDHH1111B

In Ear Earphone with 3,5mm St Jack, Simple & Elegant Design: Multifuntion smart controller to operate more conveniently and efficiently. Color Black or White. HP Box packaging.



HDHH1111W



HDHH1112

In Ear Earphone with 3,5mm St Jack, Simple & Elegant Design: Multifuntion smart controller to operate more conveniently and efficiently. Color: White. HP Box packaging.



HDHH3114

Grey

In Ear Earphone with 3,5mm St Jack. Precision metal technique with aluminium alloy sound cavity. Comfortable fit, multifuntion smart controller to operate more convienly and efficiently. Color Gray & Gold



HDHH3114G

Gold



HPDHE8002

HP Gaming Headset with Surround Sound Effects. 50mm dynamic driver with soft closed ear cushions: Retractable and flexible microphone, 3.5mm Single Jack Plug. HP Box Retail packaging.



HPDHE8005

HP Gaming Headset with Mic. 50mm large dynamic driver with soft closed ear cushions: Retractable and flexible microphone, 3.5mm single Jack plug. Multifunctional Independent cord control. HP Box Retail packaging.



HPDHE8003

HP Gaming Headset with Mic. 50mm large dynamic driver with soft closed ear cushions: Crush Resistant design and comfortable to wear. Retractable and flexible microphone, USB Connection. Multifunctional Independent cord control. HP Box Retail packaging.



HPDHE8006

HP Gaming Headset with Mic. 50mm large dynamic driver with soft closed ear cushions: Retractable Microphone: Multifunctional independent wire control design for easy control. USB connection, LED Headset Lighting. HP Box retail packaging.



HDHS2111

HP Multimedia speakers, angled design for wide spread volume, 6 Watt high power provides clear sound and quality. Adjustable volume, clever design foot pads prevent slipping, 3,5mm single plug connection.



HDHS2101

HP Multimedia speakers, angled design for wide spread volume, 6 Watt high power provides clear sound and quality. Adjustable wired volume control, small space saving design, 3,5mm single plug connection.



HDHE6001

HP Multimedia speakers, angled design for wide spread volume, 6 Watt high power provides clear sound and quality. Adjustable volume control, LED Effects lights, 3,5mm single plug connection.



HDHE6002

HP PC Soundbar, Angled design for wide spread volume, 6watts high power speaker provides clear sound and quality. Adjustable volume knob. LED Effects with touch mode, 3,5mm single plug connection.



Bluetooth Headset Single A308

OV021

Black

Bluetooth Version 4.2
Speaker Driver 10mm
Max Input power: DC5v
Sensitivity : 102dB±3dB
Impedance : 16Ω +10%
Frequency response : 20Hz-20kHz
Battery 55mA
Charging Time: PC/Laptop 0.2hr
Playback Time:2,5hr



True Wireless Earphones W20

Z0056

True Wireless Stereo Earbuds
Easy to use Fast connection



E0079

SM-508 In-ear headphones
Assorted Colours / 2 sets of
silicone pieces



E0787

RKS D3 Earphones
Black or White only
Boxed packaging



MM817

FUNCTION

MP3, PORTABLE, MICROPHONE, MUSIC,
VOICE CONTROL, NOISE-CANCELLING
CHARGING TIME 1-2 HOURS
COMPATIBLE WITH ANDROID, IOS,
MICROSOFT
CONNECTIVITY WIRELESS
WIRELESS DISTANCE 10-15M
MUSIC TIME 2 - 3 HOURS



KOLITRON

Condenser Microphones

Z0010

Large Condenser Microphone Element for better noise canceling recording. Flexible mini head for 360degree and 90degree tilt. 3.5mm Stereo plug for all kinds of laptop PC. Enjoy your high-lighted voice for all conditions and extended frequency response is great for doing tutorials, chatting on whatsapp, skype, singing, speaking etc.

Connector: 3,5mm stereo male plug.

Cable length: 1,85mt

Sensitivity: -30db +/- 3DB

Operating voltage: 1.5v

Frequency Response: 50Hz to 16 KHz

Ratio s/n: More than 36db

Omnidirectional

Stand and POP filter included.



Z0011

THE SF-960 CONDENSER MICROPHONE OFFERS A SIMPLE TO USE AUDIO SETUP FOR A RANGE OF DIFFERENT AUDIO RECORDING NEEDS. IDEAL PRICE POINT FOR CLEAR VOICE RECORDING. HIGH SENSITIVITY PICKUP, COMPATIBLE WITH ITS 3.5MM JACK WHICH CAN BE USED WITH A TRS TO TRRS ADAPTER FOR SMART-PHONE AND TABLET DEVICES.

HIGH-QUALITY METAL MESH AND BUILT-IN ANTI-NOISE SPONGE, EFFECTIVELY FILTER OUT THE WIND AND OTHER ENVIRONMENTAL NOISE. THE USE OF PROFESSIONAL INTEGRATION CAN BE FOLDED RETRACTABLE TRIPOD, YOU CAN FREELY ADJUST THE HEIGHT AND ANGLE OF THE MICROPHONE, FLEXIBLE AND CONVENIENT OPERATION TO ACHIEVE THE SEPARATION OF THE MICROPHONE AND THE BRACKET.

SPECIFICATIONS

CABLE LENGTH: 1.8M

FREQUENCY: 50HZ - 16KHZ

SENSITIVITY: -30 + / - 3DB

SENSITIVITY REDUCTION: WITHIN -3DB AT 1V.

IMPEDANCE: $\leq 2.2K\Omega$

SNR: 36DB

VOLTAGE: DC5V

PLUG: 3.5MM

STAND INCLUDED



Z0136

Weisre DM3308A Wireless Microphone.



KOLITRON

Condenser Microphones

Z0174



QY-920/QY-930

High Performance Mic accurately reproduces sound. Plug in and start recording- No extra gear needed.

3,5mm Stereo jack plug fit for all kinds of PC. Noise Cancellation.

High Quality Omnidirectional Mic gives you a perfect voice recorder.

Conveniently set with the help of the Stand and Clip.

Connector: 3,5mm stereo male plug.

Cable length: 2.0m

Sensitivity: -30db +/- 3DB

Operating voltage: DC 1.5v

Frequency Response: 20Hz to 20 KHz

Ratio s/n: More than 36db

Impedance: 2,2Kohm.



Z0199


Lapel Mic with AUX cable

Z0200

Lapel Mic with Type C cable

Z0201

Lapel Mic with Lightning cable



Samson / Wharfedale Microphones

Z0193

Samson Dynamic Vocal Mic
on/off switch, carry case & clips
(3 pack) 80Hz-12kHz Frequency



Z0194

Samson SCR10s Dynamic Vocal Mic with
on/off switch 80Hz-12kHz Frequency
Response



Z0195

Samson SCR21s Dynamic Vocal Mic with
on/off switch 80Hz-12kHz Frequency
Response



Z0196

Samson CLQ4CL Neodymium Handheld Mic.
Supercardioid Pickup pattern with Excellent
off-axis rejection. Wide dynamic range,
High output, low impedance design.
Smooth Frequency Response of 80Hz-12kHz



Z0197

Wharfedale DM5 OS Vocal Mic with
On/off switches
Frequency Response 50Hz-16kHz
Super Cardioid polar patterns
600ohm Output impedance
High performance capsules
Rugged cast metal bodies
Steel mesh grilles
Internal pop shields
135dB Max SPL / Low distortion
Tailored for Vocals.
Unlimited applications including live
stages, instruments and home studio.



KOLITRON

Lane Microphones

C0930



VM-510



VIDAL MICROPHONE
HI FIDELITY UNI-DIRECTIONAL
DYNAMIC MICROPHONE.
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC.
CARRY BAG & 2MT MIC CABLE
INCLUDED.

C0933



LM-560



PROFFESIONAL MICROPHONE
HI FIDELITY UNI-DIRECTIONAL
DYNAMIC MICROPHONE. EXCELLENT
REPRODUCTION OF VOICE AND MUSIC.
CARRY BAG & 2MT MIC CABLE
INCLUDED.

C0931

LM-514

Frequency response: 70-15000Hz
Impedance: 600 ohm 30%
Cord: 2M with 6.3mm plug



PROFFESIONAL MICROPHONE
HI FIDELITY UNI-DIRECTIONAL
DYNAMIC MICROPHONE. EXCELLENT
REPRODUCTION OF VOICE AND MUSIC.



KOLITRON

UHF Wireless Microphones

C0061

PGX-68 Shengyin UHF Dual Wireless Mic

UHF Dual Handheld system -510-680MHz

Battery: 9V PP3 Supplied

Max Range: 30.0mt

Output: XLR, 6,3mm Jack

S/N ratio: >80db TDH <0.2%

Dimensions: Receiver 45x210x180

Weight Receiver: 573g



C0246

PGA-57 Shure Microphone

PG57 Cardioid Dynamic Instrument Microphone is a professional quality microphone designed to be used in a wide variety of amplified and acoustic instrument applications. With rugged durability and excellent sound, this versatile microphone comes with an on/off switch, swivel adapter, carrying pouch and XLR cable.



C0342

LEM-270 Desk Condenser conference Mic with ON/OFF Switch. AA Batteries Not included. Freq: 100Hz-13Khz
Output impedance: 2Kohm
Cord: 1mt XLR to Jack



Z0044

Desktop USB Microphone M-309
Longer Goosneck with On/Off switch.



Z0017

Desktop USB Microphone M-306
Short Goosneck



KOLITRON

QTX VHF Wireless Microphones

C0006

VH1 - VHF handheld wireless system - 173.8MHz
 Battery: 9V PP3 Supplied x2
 Max Range: 50.0mt
 Output: XLR, 6.3mm Jack
 S/N ratio: >85db TDH <0.2%
 Dimensions: Receiver 45x210x180mm



C0038

VH45B - VHF handheld compact wireless system - 174.5MHz
 Battery: 9V PP3 Supplied
 Max Range: 50.0mt
 Output: XLR, 6.3mm Jack
 S/N ratio: >85db TDH <0.2%
 Dimensions: Receiver 150x110x35mm
 Weight Receiver: 190g



C0012

VHF - 174.5MHz

VN1- VHF Headset wireless system - 174.5MHz
VN1- VHF Headset wireless system - 173.8MHz
 Battery: 9V PP3 Supplied
 Max Range: 50.0mt
 Output: XLR, 6.3mm Jack
 S/N ratio: >85db TDH <0.2%
 Dimensions: Receiver 45x210x180
 Weight Receiver: 573g



C0007

VHF - 173.8MHz



C0030

VHF - 173.8MHz

VL1- VHF Lapel wireless system - 173.8MHz
VL1- VHF Lapel wireless system - 174.5MHz
 Battery: 9V PP3 Supplied
 Max Range: 50.0mt
 Output: XLR, 6.3mm Jack
 S/N ratio: >85db TDH <0.2%
 Dimensions: Receiver 45x210x180
 Dimensions Beltpack transmitter: 205x68x25mm
 Weight Receiver: 573g
 Weight Beltpack: 76g (no battery)

C0033

VHF - 174.5MHz



QTX VHF Wireless Dual Microphones

C0024 173.8Mhz

VN2 VHF dual neckband wireless system - 173.8 + 174.8MHz

VN2 VHF dual neckband wireless system - 174.1 + 175.0MHz

Power supply : receiver: 10Vac 250mA (supplied)

Battery : 9V, PP3 (1 each, supplied)

Maximum range: 50.0m

Output connections: XLR, 6.3mm jack

S/N ratio: >85dB THD: <0.2%

Dimensions Beltpak transmitter: 205x68x25mm

Dimensions : receiver: 45 x 210 x 180mm

Weight beltpak trasmitter: 76g (no battery)

Weight receiver: 573g Operating frequencies



C0026 173.8Mhz

VHN2 VHF handheld + neckband wireless system - 173.8 + 174.8MHz

VHN2 VHF handheld + neckband wireless system - 174.1 + 175.0MHz

Power supply : receiver: 10Vac 250mA (supplied)

Battery : 9V, PP3 (1 each, supplied)

Maximum range: 50.0m

Output connections: XLR, 6.3mm jack

S/N ratio: >85dB THD: <0.2%

Dimensions Handheld transmitter: 270x45mm

Dimensions : receiver: 45 x 210 x 180mm

Weight handheld trasmitter: 190g (no battery)

Weight beltpack transmitter: 76g (no battery)

Weight receiver: 573g Operating frequencies



C0013

VH2 Dual Handheld VHF - 173.8 + 174.8 Mhz

VH2 Dual Handheld VHF - 174.1 + 175.0 Mhz

Power supply : receiver: 10Vac 250mA (supplied)

Battery : 9V, PP3 (1 each, supplied)

Maximum range: 50.0m

Output connections: XLR, 6.3mm jack

S/N ratio: >85dB

THD: <0.2%

Dimensions : handheld: 270 x 45mmØ

Dimensions : receiver: 45 x 210 x 180mm

Weight : handheld transmitter: 190g (no battery)

Weight : receiver: 573g Operating frequencies



C0046 174.1Mhz

Chord UHF Wireless Microphones

C0022

NU1 Handheld UHF System 864.1MHz

Power supply: 12-18Vdc, 350mA (mains adaptor included)

Batteries: 2 x AA (for transmitter - included)

Range: 60m

Signal to noise ratio: >105dB THD: <0.5% @ 1kHz

Frequency response: 50Hz-18KHz ± 1 dB

Image rejection: >85dB

Output impedance: 2.2k Ohms

Dimensions : receiver: 44 x 198 x 190mm

Weight : receiver: 710g

Output level: 400mV (balanced), 200mV (unbalanced)

Dimensions : transmitter: 243 x 48mm \varnothing

Weight : transmitter: 238g (no battery) Carrier frequency

C0010

NU1 Handheld UHF System 863.1MHz



C0058

NU2 Handheld UHF System 863.3 + 864.3Mhz

Power supply: 12-18Vdc, 500mA (mains adaptor included)

Batteries: 4 x AA (2 per transmitter - included)

Range: 60m

Signal to noise ratio: >96dB THD: 0.1% @ 1kHz

Frequency response: 30Hz-20KHz

Image rejection: >85dB

Output impedance: 2.2k Ohms

Output level: 400mV (balanced), 200mV (unbalanced)

Dimensions : receiver: 44 x 409 x 190mm

Weight : receiver: 1.37kg

Dimensions : transmitter: 243 x 48mm \varnothing



C0064

NU2 Handheld UHF System 863.8 + 864.8MHz

C0028

NU1 Neckband/Lavalier UHF System 863.1MHz

Wireless microphone system with fixed UHF belt-pack transmitter and half rack-width receiver. Supplied with a choice of neckband or lavalier microphones. The receiver unit is compatible with standard 19" racks using the included rack ears and front mounting antenna accessories.

C0089

NU2 Dual Lapel/Neckband UHF System 863.3 + 864.3MHz

C0094

NU2 Dual Lapel/Neckband UHF System 863.8 + 864.8MHz

C0036

NU1 Neckband /Lavalier UHF System 864.1MHz



KOLITRON

Microphones & Accessories

C0050



On Stage Euro-Style
Plastic Mic Holder,
metal thread

C0398

Assorted colours

C0398B

Black only



Microphone Shields
MS-1 Large Assorted or
Black-

C0018

Samson BL3 Mic Floor
stand, folding legs,
and boom arm

Mic holders not
included



C0035

12" Gooseneck holder



C0032

5 Meter



3 pin XLR Female to 6mm mono Metal plug

C0056

10 Meter



C0081

1.5 Meter

C0084

3 Meter

C0086

5 Meter

C0096

6 Meter

C0097

12 Meter

C0653

20 Meter

Balanced line XLR Male to XLR Female cable



KOLITRON

Power Supplies

F0016CB

220 / 3 to 12volt
DC switchable with
multiplug 1000mA



F0018CB

220 / 3 to 12volt
DC switchable with
multiplug 500mA



F0009

DPS-50 Power Supply
Recommended for Explora
Decoders.



F0002

PS-08 Power Supply
Recommended for DSTV
1132, HD4U&HD 5s
Decoders.



F0029

1000mA Power Supply
220 / 12volt DC with
car cigarette lighter type
socket



J0220

AV Link Phono Pre-
Amplifier Power
supply included.



F0005

LAZ-009 Laptop Universal
Adaptor
100watt. DC12v in AC out
Output 12/15/16/18/19v-4,5A
Input 110v-240v 1,5A
Mains & Car Cig Lighter plug



F0003

Same as above BUT without
the Car Cig Lighter Plug
Mains Only.

Miscellaneous

Z0036

Moxom Power bank 10000mAh



Z0042

iPega PG-90233 Wireless Controller



Z0034

D-H7 Portable Speaker



Z0038

Moxom HH-62 Wireless Charger with 2x 2,4A USB Ports



Z0041

iPega PG-9128 Wireless Controller



Z0026

Headset with volume control



Z0040

Type C to Lightning Cable



Z0039

CC-53 charging cable
USB C, Lightning, Micro



Z0073

Andowl Q-305 Wireless Music Receiver (Hands Free) The BT-Receiver is a music receiver that connects to any stereo audio input. Listen to music from your phone, laptop, or iPod without the hassle of cables.



Miscellaneous

Z0019

Bluetooth Dongle with CD



Z0020

Type C Sound Card 7.1channel



Z0023

USB Extension Cable 10mt



L0005

Solar Sensor Lights



Z0021

Portable Wireless speaker TG531



L0013

ZJ319 Solar 4 Function Mobile Charge Light.



Z0024

Power socket 6 USB/3 power



Z0025

Power socket 4 USB/2 power



Miscellaneous

Z0027

Baofeng BF-8886 Two Way Radio 16channels
Digital processing system, Long stand by time,
Hi Capability Li-Ion battery, USB
Handheld Transmitters.



Z0028

Andowl A-A178 Travel Adaptor



Z0079

Thermal Paste 1ml



Z0080

Thermal Paste 10ml



MM990

Mini Backlit Handheld Remote Control Keyboard
Works with Android TV Boxes, Smart TV's PC's
Celular Smartphones (OTG)



Z0052

Mini Backlit Handheld
Remote Control Keyboard
Works with Android TV
Boxes, Smart TV's PC's
Celular Smartphones
(OTG)
Rainbow Series



Z0078

Grip Double Sided Gel
Tape 3mt roll.

Z0087

Grip Double Sided Gel
Tape 1mt roll.



Z0176

Blast Portable Bluetooth Wireless Speaker



Z0177

Beecaro Outdoor / Indoor Wireless speaker with crisp sound and heavy bass with dynamic sound effects. A2DP wireless system wirelessly streams music from any wireless enabled device. Simple pairing with a user friendly interface, 10mt operating range. Built in FM radio with USB and SD card slot. Two mic inputs with volume and echo control. Aux port for computers, tv, tablets etc / LED status display



Z0047

USB LED Rechargeable Searchlight 5 Watt 16-20 Hours charge time. Use for up to 7 Hours. Recharge after light dims.



Miscellaneous

Z0160

Andowl Live Sound Card
12 Sound Effects
Supports Dual Mobile use.
Supports Laptop and Computer by using a USB cable to connect.
Works with both IOS and Android.



Z0161

Sihangark SH-1705A Solar Induction Lamp.



Z0162

Sihangark SH-1206C Solar Induction Lamp.



F0001 Model: 318 UV (Ultraviolet)
AC/DC 4watt



Counterfeit Detector

KOLITRON

Andowl Wireless Outdoor Cameras

Z0141 Q-S66



Very efficient intelligent network camera that will automatically track the body when somebody moves. You can monitor your property remotely via the App CareCam Pro on smartphone Android or Apple iPhone.

20 Meters night vision with 4 infrared LED lamps and 4 white LED lights.

Day/night vision auto switch with IR-Cut filters. AI face recognition function.

With 3 night vision modes: normal IR black/ white night vision, full color night vision, smart night vision (it changes to full color when somebody passes). Sound / motion sensitivity can be adjusted.

A built-in MIC and speaker which will allow you to listen and talk to your family.

Up to 10 mobile devices can connect at the same time through WiFi.

The device supports camera buzzer alarm, email alarm and mobile push alarm.

Suitable for wireless (Wifi or AP) and wired cable transmission.

Supports TF Card. IP66 waterproof for outdoor use.

Z0142 Q-S33



Solar, outdoor, 5.0MP, intelligent, alert, PTZ camera, with human movement sensor - once any human is detected, filming starts. Night vision is also available.

365 days /24 hours uninterrupted monitoring with rotation 120 to 355 degrees.

Easy installation, no need for complicated cabling.

The energy it gets from the sun is enough for it to function properly, no need for extra power.

With two-way voice intercom, it protects privacy in local storage that will not leak.

The App mode gives you rotation control, Cloud service and face recognition.

WiFi connection necessary.

Miscellaneous

Z0164



Andowl Solar Alarm Lamp Q-A223B

Sound Security, Motion Sensor Detector, Rechargeable, Waterproof.

Motion Activated - Sensitive motion sensor will detect any movement within 5-8 meter and activate the sound light alarm, sound arise and strobe light on.

Audible & Visible from Far Away - The siren horn sound is 129db, can be heard from 1000m away, and the flash strobe lighting can be seen from 1000m.

Solar Charging & Long Working Hours - After fully charged under sunlight, the sound alarm can work for about 30 days. Won't run out of power. Unique 4 modes: 24 hours with flash & alarm / 24 hours with flash only / in the night with flash&alarm / in the night with flash only

Easy Installation & Multi-Application: Just hang solar strobe alarm where get enough sunlight.

The wireless motion sensor strobe light is suitable for the safety of residential house, farm, villas, hotels, markets, boarding house and other places where requiring security alarm.

KOLITRON

TWEETERS

E0025

3.5" Round
100 Watt Piezo
tweeter



E0178

3.5" Square
100 Watt Piezo
tweeter



E0057

Piezo ceramic horn driver.
35mm standard thread.
150 Watt max.



E0062

Piezo ceramic horn driver.
35mm standard thread.
200 Watt max.



E0052

Horn Flare Only
260 x110mm



E0055

Horn Flare Only
385 x130mm



E0072

10oz Magnet 80watt

E0074

20oz Magnet 120watt

E0102

30oz Magnet 200watt



Vidal disco speakers

Vidal Pressed Frames

8" Vidal Disco speakers (Hard Surround)

E0446 F200/100 8" 100 Watt RMS
200 Watt peak

8" Vidal Hi-Fi speakers (Air Surround)

E0442 F200/100 8" 100 Watt RMS
200 Watt peak

10" Vidal disco speakers (Hard Surround)

E0443 F250/200 10" 200 Watt RMS
400 Watt peak

E0444 F250/300 10" 300 Watt RMS
600 Watt peak

10" Vidal disco speakers (Air Surround)

E0468 F250/200 10" 200 Watt RMS
400 Watt peak



12" Vidal Disco speakers (Pressed Frame)

E0449 F300/200 12" 200 Watt RMS
400 Watt peak

E0507 F300/300 12" 300 Watt RMS
600 Watt peak

E0459 F300/400 12" 400 Watt RMS
800 Watt peak

12" Vidal Disco Speakers (Steel Cast Frame)

E0518 A310/200 12" 200 Watt RMS
400 Watt peak
Sold out

E0521 A310/300 12" 300 Watt RMS
600 Watt peak
Sold out

E0465 A310/400 12" 400 Watt RMS
800 Watt peak

15" Vidal Disco speakers (Pressed Frame)

E0450 F400/200 15" 200 Watt RMS
400 Watt peak

E0451 F400/300 15" 300 Watt RMS
600 Watt peak

E0487 F400/400 15" 400 Watt RMS
800 Watt peak

E0460 F400/500 15" 500 Watt RMS
1000 Watt peak

15" Vidal Disco Speakers (Steel Cast Frame)

E0545 A410/300 15" 300 Watt RMS
600 Watt peak
Sold out

E0522 A410/400 15" 400 Watt RMS
800 Watt peak

E0546 A410/500 15" 500 Watt RMS
1000 Watt peak

18" Vidal Disco speakers (Pressed Frame)

E0452 F450/500 18" 500 Watt RMS
1000 Watt peak

E0461 F450/750 18" 750 Watt RMS
1500 Watt peak
Sold Out

E0462 F450/1000 18" 1000 Watt RMS
2000 Watt peak

18" Vidal Disco Speakers (Steel Cast Frame)

E0547 A460/750 18" 750 Watt RMS
1500 Watt peak

Vidal Neodymium Speakers (for Line Array)

E0466 Neodymium Speaker 12Na 400
400watt Peak

E0467 Neondymium Speaker 15Na 400
400 Watt Peak

21" Vidal Disco Speakers (Pressed Frame)

E0464 F540/1200 21" 1200 Watt RMS
2400 watt peak

KOLITRON

Speakers Hi-Fi & Disco

6½" Hi-Fi speakers (Air Surround)

E0288 150 watt

8" Hi-Fi speakers (Air Surround)

E0407 100 watt



D0047

Vidal Heavy Duty
Speaker tripod
stands, each.



D0142

Black Top Hat



D0041 Heavy
duty disco speaker
box cabinet corners




D0144

Large Metal Side
Handle.
230 x 165 mm



D0031

8" mesh grill with hardware



KOLITRON

Vidal Horn Speakers - Vehicle Megaphone

E0075



VRH-25 25 Watt 8ohm
Rectangular Speaker

E0306



VRH-40 40 Watt 8ohm
Rectangular Speaker

E0069 VH-1225

12" 45 Watt 8 ohm
horn speaker



E0076 VH-1025

10" 25 Watt 8 ohm
horn speaker



E0441

VH-18F 18" Horn flare
only



D0004

VHD-60 Horn Speaker driver
60 watt RMS

D0006

VHD-60 Horn Speaker driver
35 watt RMS



J0259 Adastra 25WATT
Vehicle Megapone Bluetooth /
USB / SD /AUX.

Has an inergral record function
enables speech message to be
recorded up to 120seconds and
played back in a loop. Siren and
whistle alerts can be activated by
push button. Suction mount rubber
base for roof mount.

Sep Cigarette Ligher plug plus cord
included.



KOLITRON

Vidal Megaphones

J0258

VM-25UD 25 WATT hand held megaphone with USB & Siren,

Power: 25W (Max)
Power source: 8 × "C" (UM-2) batteries
Audible range: Approx 1000m
Battery time: Approx 6 hours talk time
Includes C0002 Cig Lighter cable



J0260

VM-25WSD 25 WATT RMS Hand held megaphone with Whistle & Siren.

Power: 25W RMS
Power source: 8 × "C" (UM-2) batteries
Battery Time: Approx 6 hours talk time
Audible range: Approx 1500m
Includes C0002 Cig Lighter cable



J0263

VM-45D 45 Watt hand held megaphone with Siren, USB + DC Socket

Power: 45W (Max)
Power source: 8 × "D" (UM-1) batteries
Audible range: Approx 2000m
Battery time: Approx 8 hours talk time
Includes C0002 Cig Lighter cable.



C0002

Cigarette Lighter plug to DC Socket cable.



KOLITRON

Heat Shrink Sleeve's-Bridge Rectifier

Heat Shrink Sleeveing

K0031	3.2mm Heat Shrink Sleeveing
K0032	4.8mm Heat Shrink Sleeveing
K0034	6.0mm Heat Shrink Sleeveing
K0033	9.5mm Heat Shrink Sleeveing




Bridge Rectifiers

T0148	1.5 Amp 400v Bridge Rectifier Round
T0037	2 Amp 600v Bridge Rectifier Flat
T0085	4 Amp 600v Bridge Rectifier Flat
T0100	6 Amp 800v Bridge Rectifier Flat
T0539	6 Amp 400v Bridge Rectifier Square
T0207	10 Amp 400v Bridge Rectifier Square
T0540	25 Amp 1000v Bridge Rectifier Square Metal.....
T0317	35 Amp 400v Bridge Rectifier Square Metal.....



LED's & Hi Bright LED's

T0040	5mm L.E.D. Red
T0031	5mm L.E.D. Yellow
T0003	5mm L.E.D. Green
T0007	5mm L.E.D Plastic Holder
T0238	5mm Flashing LED Green.....
T0041	3mm L.E.D. Red
T0002	3mm L.E.D. Green
T0030	3mm L.E.D. Yellow.....
T0001	5mm Hi-Bright LED Blue 770 MCD.....
T0004	5mm Hi-Bright LED White 10000 MCD.....
T0005	5mm Hi-Bright LED Red 4000 MCD (White Shines Red)...
T0006	5mm Hi-Bright LED Red 800 MCD (White Shines Red)...
T0008	5mm Hi-Bright LED Red 150 MCD (Red Shines Red)...



KOLITRON

Car Audio

P0095

PDBF-48 Gold Plated
Fuse holder



P0002 - 100 Amp

P0041 - 80 Amp



Z0148

Car Installation Kit



E0090

Electronic 12v Siren
6 Tones 15Watt



KOLITRON

CAR AUDIO

G0017  Car Aerial Plug	P0189  Aerial Adaptor plug Coax to Auto	P0205  Grundig Car Aerial Plug	
--	--	---	--

CAR AERIAL EXTENSIONS

P0028

30 cm (12")

P0029

60 cm (24")

P0062

90 cm (36")

P0061

180 cm (72")



SELF-TAP SCREWS (100 PER PACK)

G0312

#8 x 13 mm

G0313

#8 x 19 mm

G0314

#8 x 25 mm

G0315

#8 x 30 mm

G0316

#8 x 40 mm

G0317

#8 x 50 mm

G0318

#10 x 16 mm Mushroom Head



DRY WALL SCREWS (100 PER PACK)

G0398

#6 x 16 mm

G0319

#6 x 25 mm

G0320

#6 x 28 mm

G0321

#6 x 32 mm

G0322

#6 x 41 mm

G0323

#6 x 45 mm



P0013

Bee Sting Aerial



G0311 Flat panel
mount micro-switch
with cable



KOLITRON

CAR AUDIO

Power Cable 10 awg

C0404

10 AWG Red Power Cable
(100 Metre roll)

C0405

10 AWG Black Power Cable
(100 Metre roll)

Power Cable 8 AWG

C0435

8 AWG Red Power Cable
(100 Metre roll)

C0436

8 AWG Black
Power Cable
(100 Metre roll)



Power Cable 4 awg

C0437

4 AWG Red Power Cable
(50 Metre roll)

C0438

4 AWG Black Power cable
(50 Metre roll)

Power Cable 0 AWG

C0406

0 AWG Red Power Cable
(20 Metre roll)

PREPACK CABLE

C0003

8 AWG Red Prepack 5 meter



ACOUSTIC CARPET

E0004

Charcoal (1.5M wide) 160g

E0029

Black (1.5M wide) 300g

E0004

Charcoal (1.5M wide) 160g 50mt

E0030

Grey (1.5M wide) 300g

E0091

Charcoal (1.5M wide) 300g



E0014

E0013

E0012



KOLITRON

Car Audio - Air Vent and magnetic phone holders

E0010

MoXom VS-o8 Auto Wireless Charging Car Charger with Suction Cup.
Max Power 10W
Charging Time: 3.5 - 4hours
Charging Port Micro
Wireless Charging Distance between 3 to 8mm
Suction Cup in the packaging
Product may vary slightly to the picture



E0009

MoXom MX-VS04
The bottom support and arms structure form a stable & triangular structure that will hold the phone securely in place even on bumpy roads. The secure suction pump sticks lightly on the dash or any surface. The adjustable arm and 360deg joint ball will assist in finding a suitable position for driving.



E0008

MoXom VS06 Air-Vent Cell-phone holder
Environmental friendly and durable.
Adjustable arm to allow for different sizes of smart phones.
Simple to set up and easy to use.
Color may vary from the picture depending on availability.



Air Vent Cell Phone magnetic holders

E0005



E0001



E0007



BLACK SPIRAL SLEEVING (30, 50 & 25 meter ROLLS)

K0073

30M x 6mm (O.D.)

K0074

25M x 12mm (O.D.)

K0080

30M x 8mm (O.D.)

K0081

30M x 19mm (O.D.)



BLACK CORRUGATED SLEEVING (25 meter ROLLS)

K0075

25M x 10mm (I.D.)

K0078

25M x 20mm (I.D.)

K0076

25M x 14mm (I.D.)

K0079

25M x 25mm (I.D.)

K0077

25M x 16mm (I.D.)



Multimeters

F0136

DT-9205A Digital

DC Voltage: 0.2 / 2 / 20 / 200 / 1000 volts
AC Voltage: 0.2 / 2 / 20 / 200 / 750 volts
DC Current: 2mA - 20A
Resistance: 200ohm - 200Mohm
Battery: 9Volts
Size: (W)89 x(H)191 x(D)35
Weight: 300g



F0015

TL-5 Test leads
red and black
thick Cables.



F0099

DT-830B Digital

DC Voltage: 200mV / 2000mV /
20V / 200V / 1000V
AC Voltage: 200V / 750V
DC Current: 200μA / 2mA / 20mA
/ 200mA / 10A
Resistance: 200 ohm / 2 Kohm /
20 Kohm / 200 Kohm /
2Mohm Diode test, transistor test
Size: (W)70 x(H)126
x(D)24mm
Weight: 170g



F0135

266 Digital Clamp Multimeter

DC Voltage: 1V - 1000V
AC Voltage: 1V - 750V
AC Current: .1A - 1000A
Resistance: 100mOhm 20KOhm

